What is claimed is:

1. A dye mixture comprising
at least one dye of formula



(1)

together with at least one dye from the group of formulae



(2a) and



(2b),

wherein
R_1 and R_2 are each independently of the other hydrogen or unsubstituted or substituted C_1-C_8alkyl,
R_3 and R_4 are each independently of the other hydrogen or unsubstituted or substituted C_1-C_4alkyl,
$(R_5)_{0-3}$ denotes from 0 to 3 identical or differing substituents from the group halogen, C_1-C_4alkyl, C_1-C_4alkoxy, carboxy, nitro and sulfo,
A is unsubstituted or substituted phenylene, unsubstituted or substituted naphthylene, or C_2-C_8alkylene which may be interrupted by oxygen,
D_1 and D_2 are each independently of the other the radical of a diazo component of the benzene or naphthalene series,

q and r are each independently of the other the number 0 or 1,

X_1 is halogen or a non-fibre-reactive substituent, and

Y_1 and Y_2 are each independently of the other a radical of formula

$-SO_2-Z$ (3a),

$-NH-CO-(CH_2)_m-SO_2-Z$ (3b),

$-CONH-(CH_2)_n-SO_2-Z$ (3c),

$-NH-CO-CH(Hal)-CH_2-Hal$ (3d),

$-NH-CO-C(Hal)=CH_2$ (3e) or



(3f),

wherein

X_2 is halogen, T_1 independently has the definition of X_2, is a non-fibre-reactive substituent or is a fibre-reactive radical of formula

$-NH-(CH_2)_{2-3}-SO_2-Z$ (4a),

$-NH-(CH_2)_{2-3}-O-(CH_2)_{2-3}-SO_2-Z$ (4b),



(4c),



(4d) or



(4e),

wherein

Z is vinyl or a radical $-CH_2-CH_2-U$ and U is a group that is removable under alkaline conditions,

Q is a group -CH(Hal)-CH_2-Hal or -C(Hal)=CH_2,

m and n are each independently of the other the number 2, 3 or 4,

Hal is halogen,

Y_3 is a radical of the above-mentioned formula (3a), or is a radical of formula



(3g),

wherein

s is the number 0 or 1, and

X_3 is halogen or C_1-C_4akylsulfonyl,

X_4 is halogen or C_1-C_4alkyl and

T_2 is hydrogen, cyano or halogen, and

V is C_2-C_4alkanoyl, benzoyl which is unsubstituted or is substituted by a radical of formula (3g), or is a radical of formula



(3h),

wherein

X_5 is halogen, and

T_3 is a non-fibre-reactive substituent.

2. A dye mixture according to claim 1, wherein

R_1 and R_2 are hydrogen.

3. A dye mixture according to either claim 1 or claim 2, wherein

R_3 is hydrogen, methyl or ethyl and R_4 is hydrogen.

4. A dye mixture according to any one of claims 1 to 3, wherein

X_1 is chlorine.

5. A dye mixture according to any one of claims 1 to 4, wherein
D_1 and D_2 are each independently of the other a radical of formula



(5),

wherein
$(R_6)_{0-3}$ denotes from 0 to 3 identical or differing substituents from the group halogen, C_1-C_4-alkyl, C_1-C_4alkoxy, carboxy, nitro and sulfo, and
Y_4 is a radical of formula (3a), (3b), (3c), (3d), (3e) or (3f) according to claim 1.

6. A dye mixture according to any one of claims 1 to 5, wherein
D_1 and D_2 are each independently of the other a radical of formula



(5a),



(5b),



(5c),



(5d) or



(5e),

wherein

$(R_{6a})_{0-2}$ denotes from 0 to 2 identical or differing substituents from the group halogen, C_1-C_4alkyl, C_1-C_4alkoxy and sulfo,

Y_{4a} is α,β-dibromopropionylamino or α-bromoacryloylamino,

m is the number 2 or 3,

n is the number 2 or 3, and

Z_1, Z_2, Z_3 and Z_4 are each independently of the others vinyl, β-chloroethyl or β-sulfatoethyl.

7. A dye mixture according to any one of claims 1 to 6, wherein

$-A-Y_1$ is a radical of formula



(5a),



(5b) or



(5c),

wherein

$(R_{6a})_{0-2}$ denotes from 0 to 2 identical or differing substituents from the group halogen, C_1-C_4alkyl, C_1-C_4alkoxy and sulfo,

m is the number 2 or 3, and

Z_1, Z_2 and Z_3 are each independently of the others vinyl, β-chloroethyl or β-sulfatoethyl.

8. A dye mixture according to any one of claims 1 to 7, wherein

R_1 and R_2 are hydrogen,

D_1 is a radical of formula



(5aa) and

D_2 is a radical of formula



(5ab),

wherein

R_{6a} and R_{6b} are each independently of the other methyl or methoxy, and

Z_{1a} and Z_{1b} are each independently of the other vinyl, β-chloroethyl or β-sulfatoethyl.

9. A dye mixture according to any one of claims 1 to 8, wherein

the dye of formula (2a) is a dye of formula



(2aa),

wherein

R_3 is hydrogen, methyl or ethyl, and

Z_1 is vinyl, β-chloroethyl or β-sulfatoethyl.

10. Use of a dye mixture according to any one of claims 1 to 9 in the dyeing or printing of hydroxyl-group-containing or nitrogen-containing fibre materials.

11. Use according to claim 10, wherein cellulosic fibre materials, especially cotton-containing fibre materials, are dyed or printed.

12. An aqueous ink comprising a dye mixture according to claim 1.

13. Use of an aqueous ink according to claim 12 in an inkjet printing method for the printing of hydroxyl-group-containing or nitrogen-containing fibre materials.